

To request a Film Permit to use the City of Syracuse's property (inclusive of all public right-of-ways), complete the following application.

#### Note:

- A Film Permit shall not be valid until and unless it has been signed by the City Representative and shall contain the General Terms and Condition as follows.
- A Film Permit may be revoked at any time by the City of Syracuse.
- All required insurance certificates shall be received by the City not less than 10 business days before the earliest date specified in the Application for Permit. Failure to do so may result in revocation.

Date of Application:			
Project Title:			
Production Company:			
Contact Person/Title:			
Phone:	Fax:	Email:	
Business Street Address:			9
Insurance Carrier:			
Contact Person/Title:			
Phone:			
Describe the Project and its subject	t matter:		
If this does not provide adequate re	oom for a description, use	e additional sheets that will be i	ncorporated into this
application.			
Are there extra sheets?	Hov	v many pages?	

List the locations requested under this Application and provide an approximate shooting schedule.

Location (Building Name/Address)	Activity (Special Effects)	Date	Start Time	End Time	Notes
			ting schedule, use add		
into this application	on. Are there extra	sheets?	How r	nany pages?	
Estimated number	r of cast and crew?		Estimated num	per of vehicles?	
Will any of the foll	owing be used? De	scribe the use.			
Physical Stur	nts Live Ani	mals	Child Actors	Gunfire	Aircrafts
Drones	Fire/Fire	eworks	Vehicle Stunts	Other	
,	(please note this re				
			ntion, use additional sh		
application. Are the	here extra sheets? _		How	many pages?	
Will vehicles or lar	ge equipment be us	sed on site? P	rovide estimated numb	pers of each.	
Jib Arm Cars Other	Equipment Trail Equipment Truc			y/Dolly Track or Homes/Dressin	g Rooms/Trailers
If "Other," please	describe below.				
ii this does not pro	ovide adequate rooi	m for a descrip	otion, use additional sh	eets that will be in	corporated into this

application. Are there extra sheets?	How many pages?
Will road closures or traffic control be needed? If so, expl	ain.
Will parking spaces be needed? If so, explain.	
Does this Application include a request for use of City man	terials, equipment, or personnel? If so, explain.
What utilities are needed?	
How will the production company provide security?	

THIS FILM PERMIT, by and between the CITY OF SYRACUSE, a municipal corporation of the State of New York, and
("Licensee"):
NOW, THEREFORE, the terms of the Film Permit are as follows:
("Licensee"):  NOW, THEREFORE, the terms of the Film Permit are as follows:  GENERAL TERMS AND CONDITIONS  1. Film Permit: License Granted  If signed by the City Representative below, such signature demonstrates the City's authorization and permission for the Licensee to enter upon the premises or public right-of-way (collectively "Premises"), and to occupy the areas set forth in the Application for Permit, where such document is incorporated within this Film Permit and made a part hereof, subject to any restrictions stated below or provided by attachment(s) hereto: (if no restrictions, strike this area through. If restrictions are attached on additional documentation, write "see attachment(s)").  The specific responsibilities and limitations of the license granted and privileges extended to Licensee are more fully set forth below within this Film Permit.  Licensee may only use the Premises consistent with the project scope described within the Application for Permit. Any other use shall not be authorized and may result in immediate revocation of the Film Permit.  Licensee has provided information to define the scope of the film project in connection with its Application for Permit. By accepting the Film Permit from the City, Licensee acknowledges that the information is true and accurate to the best of its knowledge and that any inaccurate statement could result in immediate revocation of the Film Permit.  Licensee bears all responsibility for loading equipment into and out from the Premises. Licensee shall remove all of its materials from the Premises and shall return the Premises to the same condition as it was delivered to the Licensee bears all responsibility for loading equipment into and out from the Premises "as is," without any guarantee or warranty, either express or implied, about the Premises and its fitness or suitability for any particular use.  Licensee shall not make any alterations, additions, or improvements to the Premises without the prior written
1. Film Permit: License Granted
If signed by the City Representative below, such signature demonstrates the City's authorization and permission for the Licensee to enter upon the premises or public right-of-way (collectively "Premises"), and to occupy the areas set forth in the Application for Permit, where such document is incorporated within this Film Permit and made a part hereof, subject to any restrictions stated below or provided by attachment(s) hereto: (if no
restrictions, strike this area through. If restrictions are attached on additional documentation, write "see attachment(s)").
The specific responsibilities and limitations of the license granted and privileges extended to Licensee are more fully set forth below within this Film Permit.
Licensee may only use the Premises consistent with the project scope described within the Application for Permit. Any other use shall not be authorized and may result in immediate revocation of the Film Permit.
Licensee has provided information to define the scope of the film project in connection with its Application for Permit. By accepting the Film Permit from the City, Licensee acknowledges that the information is true and accurate to the best of its knowledge and that any inaccurate statement could result in immediate revocation of the Film Permit.
Licensee bears all responsibility for loading equipment into and out from the Premises. Licensee shall remove all of its materials from the Premises and shall return the Premises to the same condition as it was delivered to the Licensee for its use, reasonable wear and tear expected. Licensee accepts the Premises "as is," without any guarantee or warranty, either express or implied, about the Premises and its fitness or suitability for any particular use.
Licensee shall not make any alterations, additions, or improvements to the Premises without the prior written approval of the appropriate City department head and/or official having control or jurisdiction over such property.
Licensee shall not use or store on or about the Premises any pyrotechnics, fire effects, materials, explosives, toxic or hazardous chemicals or substances, flammables, or any other object or material that may be deemed a risk or hazard to the general public.

Licensee shall not interfere with the normal operation of the City's facilities, unless expressly provided otherwise within the Application for permit or stated below: (if not applicable, strike this area through. If restrictions are

Rev. 7-31-18 Page 4

attached on additional documentation, write "see attachment(s)")

Licensee shall control the conduct and demeanor of its officers, agents, employees, subcontractors, or invitees within the Premises, insuring that such persons comply with all applicable laws, rules, statutes and regulations and with the terms and conditions of this Film Permit.

If Licensee is a student affiliated with a College or other educational institution, Licensee shall present to the City a letter from the educational institution, on letterhead, and a copy of the student's school ID. Such letter shall confirm that the student is enrolled with a film course or otherwise affiliated with the educational institution and shall state that the educational institution's insurance will cover the student's film project. In such instance, the permit will be issued to the school as Licensee and the student will be the contact.

The Licensee shall provide adequate, visible notice in the form of signs or other clear markings to the community for the entire duration of the filming process. These markings shall indicate to the community that there is a film shoot in process, and they should not be alarmed by actions or the use of weapons during the filming.

#### 2. Reservation of Rights

No property rights are conveyed to Licensee through this Film Permit, as such is a license only. The City reserves the right to enter upon and occupy the Premises at all times.

City shall bear no responsibility for the safety or security of any property, materials, or equipment used by Licensee in connection with this Film Permit.

#### 3. Term of License

This license shall be in effect from as stated on the Application for Permit, or until revoked by the City, whichever is earlier, subject to any restrictions stated below: (if not applicable, strike this area through. If restrictions are attached on additional documentation, write "see attachment(s)")

#### 4. Compensation

As compensation for the use of the City's property granted within this Film Permit, Licensee agrees to include the logo of the City of Syracuse within the credits.

Licensee further agrees to reimburse the City for any costs actually incurred by the City associated with this Film Permit.

#### 5. Governmental Compliance: Licenses and Permits

Licensee shall comply in all respects with all applicable law.

Rev. 7-31-18 Page 5

The licensee shall be responsible for collecting and remitting to the proper government entity all taxes arising from the services provided under this license, including sales and use taxes.

Licensee shall obtain at its sole cost and expense all licenses or permits for the use of the City's property as contemplated under this license, if any are necessary, prior to the commencement of operations. Failure to adhere to the terms of this provision may result in summary revocation of this license without recourse on the part of the Licensee.

Licensee shall be responsible for coordinating with other municipalities affected by proposed filming, including, but not limited to, those agencies having control of coordinating street closings, and providing notifications to law enforcement agencies, first responders, as may be required by applicable law.

Licensee shall assume all responsibility for obtaining the proper permissions to use patented, trademarked, franchised, or copyrighted materials or any other type of intellectual property associated with the film produced in connection with this Film Permit.

#### 6. Assignment

Licensee agrees that it shall not assign, transfer, convey, subcontract, or otherwise dispose of this license or Licensee's responsibility to perform under this license or Licensee's right, title, or interest in and/or to the same, nor any part thereof, without the prior express written consent of the City of Syracuse.

#### 7. Status of Licensee

For the purposes of this license, neither Licensee nor the employees and agents of Licensee shall be permitted to hold themselves out as or claim to be officers or employees of the City, and such persons shall be prohibited from making a claim for and shall not be entitled to, workers' compensation coverage, medical, and unemployment benefits, social security, or retirement membership benefits from the City.

#### 8. Hold Harmless, Defense, and Indemnification

- A. The Licensee covenants and agrees to indemnify, defend, and hold harmless the City of Syracuse, to the fullest extent permitted by law, its officers, agents, and employees and representatives in connection with this license, from and against any and all loss or expense that may arise by reason of liability for damage, injury, or death, or for invasion of personal property rights, of every name and nature including but not limited to: (i) claims of property damage; (ii) claims of personal injury to Licensee, if self-employed, Licensee's employees, agents, or subcontractors; (iii) claims of personal injury to third parties; and (iv) reasonable attorney's fees, whether incurred as the result of a third party claim or to enforce this license: arising out of or resulting directly or indirectly from the performance, of the work or the enforcement of this license, irrespective of whether there is a breach of statutory obligation or rule of apportioned liability; and whether casual or continuing trespass or nuisance, and any other claim for damages arising at law and equity alleged to have been caused or sustained in whole or in part by or because of misfeasance, omission of duty, negligence, or wrongful act on the part of the Licensee, its employees, or agents.
- **B.** The Licensee further covenants and agrees to obtain the necessary insurance as required by the General Obligations Law of the State of New York and this contract to effectuate this Hold Harmless clause and shall name the City of Syracuse as an additional insured on all applicable insurance and indemnification. (See also insurance provision).

#### 9. Insurance

Licensee shall purchase and maintain insurance of the types and coverages set forth below, written on an occurrence basis, reasonably acceptable to the City of Syracuse and which will provide primary liability coverage to Licensee AND WITH THE CITY NAMED AS AN ADDITIONAL INSURED ON A PRIMARY AND NON-CONTRIBUTING BASIS for claims which may arise out of or result from Licensee's operations under the license, including without limitation (i) claims because of bodily injury, occupational sickness or disease, or death, whether to Licensee if self-employed, Licensee's employees or others and whether or not under a workers' compensation or other similar act or law for the benefit of employees; and (ii) claims because of injury to or destruction of tangible property, including loss of use resulting therefrom. As the sole exception to the foregoing, the Licensee shall not be required to name the City as an additional insured on policies issued to it for the professional liability of the Licensee.

All policies shall be written so that the City of Syracuse will be notified of cancellation or restrictive amendment at least thirty (30) days prior to the effective date of such cancellation or amendment. Certificates or insurance from the carrier, or their authorized agent, with the appropriate additional insured endorsement attached showing the City of Syracuse as an additional insured and stating the limits of liability and expiration date which are acceptable to the City of Syracuse, shall be filed with and accepted by the City of Syracuse before operations are begun. The intent is that this insurance, with the City of Syracuse being named as an additional insured, is to be primary over and above the City of Syracuse's own general liability coverage.

The Licensee agrees to obtain and maintain General Liability Insurance including Comprehensive Form, Premises-Operations, Products/Completed Operations, Blanket Broad Form Contractual, Independent Contractors, and Broad Form Property Damage Coverage with minimum limits of not less than one million dollars (\$1,000,000.00) Combined Single Limit for Bodily Injury and Property Damages.

Also, the Licensee shall obtain and maintain Umbrella Insurance with minimum limits of not less than one million dollars (\$1,000,000.00).

In the event that Licensee intends to use vehicles or large equipment on the Premises in connection with this Film Permit, Licensee shall be required to obtain additional forms of insurance at amounts to be directed by the City.

In the event that Licensee intends to use fire, fireworks, explosives, firearms, or pyrotechnics on the Premises in connection with this Film Permit, Licensee shall be required to obtain additional forms of insurance at amounts to be directed by the City.

Licensee further agrees to comply with the requirements of the New York State Workers' Compensation Board regarding proof of compliance with the New York State Workers' Compensation Law. The New York State Worker's Compensation Board requires the City to obtain from Contractors proof of Workers' Compensation insurance coverage, Self-Insurance, or exemption from the requirement of obtaining Workers' Compensation insurance coverage. Proof must be submitted to the City on forms specified by the Workers' Compensation Board and that are stamped as received by the Workers' Compensation Board.

#### 10. Workers' Compensation and Disability Benefits

This license shall be void and of no effect unless Licensee and other person or entity making or performing this agreement shall secure compensation for the benefit of, and keep insured during the life of this agreement, the employees engaged thereon, in compliance with the provisions of the New York State workers' compensation law.

Licensee shall show, before this agreement may be made or performed, and at all times during the life of this agreement, that Licensee, and other person or entity performing this agreement, is in compliance with the provisions of the New York State workers' compensation law, by Licensee's delivering to City's Department of Law a New York State Workers' Compensation Board (Board) form or State Insurance Fund (Fund) form.

Rev. 7-31-18 Page 7

#### 11. Contract Modifications

This license represents the entire and integrated agreement between the Licensee and the City and supersedes all prior negotiations, representations, or agreements either written or oral. This license may be amended only by written instrument signed by both the Licensee and the City.

#### 12. Remedies Upon Revocation

Licensee and the City shall have available remedies at law for material breaches of this agreement. However, Licensee specifically acknowledges that this license to occupy the Premises is revocable at will by the City and does not constitute or grant to Licensee any possessory right or entitlement to the premises on the part of the Licensee. Licensee shall not have and will not assert any equitable or other claim to occupy the premises but, upon revocation of said license, shall quit the premises without requiring the City bring any action in the nature of ejectment or otherwise and shall limit its claims to such remedies as may be provided by law.

IN WITNESS THEREOF, City and Licensee have executed the writing of this Film Permit on the dates hereafter written, and by signing below and accepting this Film Permit, Licensee indicates that it has read, understands, and agrees to comply with the above terms and conditions.

Applicant (print)				Date
Applicant (signature)				
PPW Commissioner (print)				Date
PPW Commissioner (signature)		_		
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		OFFICE USI	<u>E ONLY</u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Date Received://			TTC Plan Attached:Yes	No
Insurance Certificate Attached:	Yes	No	Exp. Date:/	
Worker's Compensation Included?	Yes	No	Exp. Date:/	
Date TTC to DOT for Review:/	/		Date TTC back from DOT:	//_

FOR OFFICE USE ONLY (Continued)

Waste Hauler Information:		
Waiver #:		

Rev. 7-31-18 Page 9

Jeremy Robinson Commissioner

Martin E. Davis, L.S. Deputy Commissioner



Ann Fordock Deputy Commissioner

# FILM PERMIT (LIABILITY WAIVER) PERMIT APPLICATION & INSTRUCTIONS

REQUIRED FOR: Closure or partial closure of a City street or sidewalk, or work occurring in the Right of Way.

#### THIS APPLICATION PACKET CONTAINS:

- 1) List of Required Submittals
- 2) Submittal Instructions
- 3) Liability Waiver Application
- 4) Parking Meter Rental Application

#### **REQUIRED SUBMITTALS:**

- o Application pages 2 and 3.
- Parking Meter Rental Application page 4. If metered parking spaces are affected by work, applicant must submit this application and pay \$11.25 per space per day, excepting Sundays and holidays.
- o Application Fee \$50 non-refundable; check or Money Order payable to *Commissioner of Finance*.
- o **Insurance Certificate** from contractor, listing the City of Syracuse as additional insured in the amount of at least \$1 million in General Liability. (Additional insurance may be required)
- o Temporary Traffic Control Plan
  - Must show all traffic control devices being used (signage, cones, barricades, etc.), as well as how the applicant will block off the street or sidewalk where the work/ filming in all locations is occurring.
  - Must show how the applicant plans to route pedestrian/vehicular traffic around the work/filming.
  - Must show dimensions of street/sidewalk left open to pedestrian/vehicular traffic
  - Shall be in accordance with the Federal MUTCD (Manual of Uniform Traffic Control Devices) 2003
     Edition.

#### SUBMITTAL INSTRUCTIONS:

- 1) Application must be completed in its entirety. Incomplete or partial applications will not be processed.
- 2) AT LEAST 10 DAYS PRIOR TO CONSTRUCTION, Application, Fees, and additional documents must be submitted to the:

#### **Central Permit Office**

201 E. Washington St., Room 101
Syracuse, NY 13202
(P) 315-448-4715
CentralPermitOffice@SyrGov.net
www.syrgov.net/Central Permit Home.aspx

Jeremy Robinson Commissioner

Martin E. Davis, L.S. Deputy Commissioner



Ann Fordock Deputy Commissioner

### LIABILITY WAIVER APPLICATION (FILMING)

\$50.00 non-refundable application fee

Company Name:		
Address:		
Contact Name:		
Telephone:	Facsimile:	
Cellular:	24-Hour:	
E-Mail Address:		
Request:	PLEASE CHECK ALL THAT APPLY	·
Partial Street Closure	Full Street Closure	Dumpster**Filming**
Partial Sidewalk Closure*	Full Sidewalk Closure	Cranes In-Transit
Concession Stand	Lift Truck,	Item on Sidewalk*
Other		
* The applicant must verify th	nere is 3' of uninterrupted sidewalk	space for pedestrians.
	e licensed to operate in the City of S d General Ordinance's, Solid Waste	Syracuse pursuant to Article 2, Chapter 14,
	e of Waste Hauler:	

#### OBSTRUCTED METERED LOCATIONS (Please fill out parking meter rental application)

- The City of Syracuse shall be compensated for any parking revenue lost as a result of this project.
- Rates are \$11.25 per parking space per day.
  - o Example: 2 spaces @\$11.25 = \$22.50 per day x 10 days (length of project) = \$225.00).
  - Rates are charged Monday through Saturday, except for Holidays.
- Fees are due when the application is submitted.

Rev. 7-31-18



## LIABILITY WAIVER APPLICATION (FILMNG)

Location/s:	
Tack to Davidavia /filmina	
Task to Perform/filming details:	
Start Date:/	End Date:
Start Time/Day:	End Time/Day:
Applicant's Signature:	Date:/
Diagon mint many	



#### SYRACUSE FIRE DEPARTMENT

Fire Prevention Bureau 201 E Washington Street, Suite 200 Syracuse, New York 13202 FirePrevention@syrgov.net

Production Name:  CERT COTTINE FILM PERMIT - This checkinst shall be provided to any Syneuse fire Department Impector Visiting the filming location.  MISTRICTIONS: Indicate "YES", "NO" or "M/A" (i.e. Not Applicable) for every numbered item below. For each "NO" onswer, corrective actions must be accepted and oexected before Planing a continue.  ACCESS, FIRER PROTECTION  1 St. Record and oexected before Planing a continue.  ACCESS, FIRER PROTECTION  1 St. Record and oexected before Planing a continue.  ACCESS, FIRER PROTECTION  1 St. Requiring Methods of reporting an emergency are available (e.g. mobile phone, landline, etc.)  2 Clearance (Fire Equipment): Fire hydrams, extinguishers, sprinkers & standaple connections are readily accessible and clear of all equipment & vehicles (e.g. no parking in front of hydrams, nothing from sprinkers, etc.)  3 Clearance (Fire Equipment): Fire hydrams, extinguishers & standaple connections are readily accessible and clear of all equipment & vehicles (e.g. no parking in front of hydrams, nothing from sprinkers, etc.)  3 Clearance (Fire Equipment): Fire hydrams, extinguishers, sprinkers & standaple connections are readily accessible and clear of all equipment & vehicles (e.g. no parking in front of hydrams, nothing from sprinkers, etc.)  3 Clearance (Fire Equipment): Fire hydrams, extinguishers (e.g. no parking in front of hydrams, nothing from sprinkers, etc.)  4 Extinguishers: Extinguishers present (2A-108C min. rating): evoluced, ready for use and within 75 ft. of travel  5 Fire Equipment (e.g. alarm /paides): fire access must be minimation (20 per wide)  4 Extinguishers (e.g. Alarm /paides): fire access must be minimated (20 per wide)  5 Fire Equipment (e.g. alarm /paides): fire access must be minimated (20 per wide)  5 Extinguishers (e.g. Alarm /paides): fire access must be access within 75 ft. of travel by Location (Cooking /paides): for access must be access must be accessed on the standard on the cooking /paides (e.g. no hydrams): for access and paides on do notion of co		FILM LOCATION FIRE CA	AFFTY INCREATION OF THE			
Coardin Address:	Por					
THIS CHECKLIST SHALL BE COMPLETED DAILY FOR EACH PERMITTED FILMING LOCATION AND A HARDCOPY SHALL BE AVAILABLE WITH A COPY OF THE PILM PERMIT. This checkles shall be provided to any Syracuse Pror Department Inspector visiting the filming location.  ### NOTE OF THE PILM PERMIT. This checkles shall be provided to any Syracuse Pror Department Inspector visiting the filming location.  ### NOTE OF THE PILM PERMIT. This checkles shall be provided to any Syracuse Pror Department Inspector visiting the filming location.  ### NOTE OF THE PILM PERMIT. This checkles shall be provided to any Syracuse Pror Department Inspector visiting the state of the control of the cont	1 61	, init #.	Date of Filling.			
STRICTIONS indicate **TES** TWO or **NA* of a Net Applicable) for every numbered item below. For each **NO* answer, corrective octors with broaded and executed before filming can continue.    STRICTIONS indicate **TES** TWO or **NA* of a Net Applicable) for every numbered item below. For each **NO* answer, corrective octors with broaded and executed before filming can continue.    STRICTIONS   STRICTION   YES   NO   NA	Prod	duction Name:	Location Address:	***************************************	***************************************	
ACCESS   FIRE PROTECTION   YES   NO   N/A	<u>T1</u>	IIS CHECKLIST SHALL BE COMPLETED DAILY FOR EACH PERMI  COPY OF THE FILM PERMIT. This checklist shall be provided	ITTED FILMING LOCATION AND A HARDCOPY SHALL BI to any Syracuse Fire Department Inspector visiting the	E AVAILA	ABLE WI	TH A
911 Reporting: Methods of reporting an emergency are available (e.g. mobile phone, landline, etc.)   Clearance (Fire Equipment): Fire hydrants, extinguishers, sprinklers & standpipe connections are readily accessible and clear of all equipment & wehicles (e.g. no parking in front of hydrants, nothing hung from sprinklers, etc.)   Clearance (Fire Lanes): Fire lane access must be maintained (20 feet wide)   Clearance (Fire Lanes): Fire lane access must be maintained (20 feet wide)   Clearance (Fire Lanes): Fire lane access must be maintained (20 feet wide)   Clearance (Fire Lanes): Fire alone access must be maintained (20 feet wide)   Clearance (Fire Lanes): Fire Equipment (24-108C mln. roting), serviced, ready for use and within 75 ft. of travel   Fire Equipment (24-108C mln. roting), serviced, ready for use and within 75 ft. of travel   Fire Continuer Shappinklerg): Fire darm eaulisment shall not be disconnected without Fire Dept. approach   Continuer Cooking/Pointlerghis Fire darm eaulisment shall not be disconnected without Fire Dept. approach   Cooking/Pointlerghis Fire darm eaulisment shall not be disconnected without Fire Dept. approach   Cooking/Pointlerghis Fire darm eaulisment shall not be disconnected without Fire Dept. approach   Cooking/Pointlerghis Clearing tocks and cooking services provided with fire extinguishers (24-108C mlnimum rating)   Cooking/Pointlerghis Clearing (Cooking/Pointlerghis Clearing Cooking/Pointlerghis Clearing Cooking/Pointlerghis Clearing Cooking/Pointlerghis Clearing Clearing (Cooking/Pointlerghis Clearing Clearing Clearing Clearing Clearing Clearing Clearing Pointlerghis and cooking services provided with fire extinguishers (24-108C mlnimum rating)   Cooking/Pointlerghis Clearing C	INS	TRUCTIONS: Indicate "YES", "NO" or "N/A" (i.e. Not Applicable) for				
Clearance (Fire Equipment): Fire lyndrants, extinguishers, sprinklers & standpipe connections are readily accessible and clear of all equipment & vehicles (e.g., no parking in front of hydrants, nothing hung from sprinklers, etc.)   Clearance (Fire Lanes): Fire lane access must be maintained (20 feet wide)   Clearance (Fire Lanes): Fire lane access must be maintained (20 feet wide)   Connections of the property of the control of the property of the control of the c	ACC	ESS / FIRE PROTECTION		YES	NO	N/A
clear of all equipment & vehicles (e.g., no parking in front of hydrants, nothing hung from sprinklers, etc.)    Clearance (Fire Lanes): Fire lane access must be maintained (20 feet wide)   Extinguishers: Extinguishers present (124-108C min. rating), serviced, ready for use and within 75 ft. of travel   Extinguishers: Extinguishers present (124-108C min. rating), serviced, ready for use and within 175 ft. of travel   Fire Equipment(e.g. alarm/sprinklers): Fire alarm equipment shall not be disconnected without Fire Dept. approval   CATERING / TENTS	1	911 Reporting: Methods of reporting an emergency are available	(e.g. mobile phone, landline, etc.)			
4 Extinguishers: Extinguishers present (2A-108C min. rating), serviced, ready for use and within 75 ft. of travel 5 Fire Equipment(e.g. alarm/sprinklers). Fire alarm equipment shall not be disconnected without Fire Dept. approval  CATECTION TO BE TAKEN:  ***CATECTION TO BE TAKEN:**  **PACE NO NA 6 Extinguisher(s): Catering trucks and cooking services provided with fire extinguishers (2A-108C minimum rating) 7 Location (Cooking/Vehicles): Catering located in safe area to operate; Catering vehicles prohibited from cooking inside buildings, tents or other endosures  Biddings, tents or other endosures  Biddings, tents or other endosures  Fire Time Sperit for the truck or properties of tents) over 409 sq. ft. EVECTION: Tent (argaregate of tents) over 700 sq. ft.  Which are open on all sides and maintoin a clearance of 12 feet to all structures or tents]  TENT Specs: Tent complies with NYS Uniform Fire Prevention and Fire Code (e.g., flameretardant, properly secured, etc.)  **CARECTIVE ACTION TO BE TAKEN:**  **ELECTRICAL & LIGHTING**  10 Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  12 Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  3 Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  4 Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  6 Geronador (All electrical panels) in Minimal protection of the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  6 Grounded All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  10 Geroance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallway	2					
Society   Fire Equipment(e.g. alarm/sprinklers): Fire alarm equipment shall not be disconnected without Fire Dept. approval	3	Clearance (Fire Lanes): Fire lane access must be maintained (20 fe	eet wide)			
CATENING / TENTS  6 Extinguisher(s): Catering trucks and cooking services provided with fire extinguishers (2A-10BC minimum rating)  7 Location (Cooking/Nehicles): Catering located in safe area to operate; Catering vehicles prohibited from cooking inside buildings, tents or other enclosures  8 LPG Tanks (Cooking/Location/Protection): LPG cooking prohibited inside buildings; LPG tanks shall be stored outside; Portable LPG containers shall be stored within a suitable enclosure or otherwise protected against tampering/fupping  9 TENT Permit: Permit for tent (or aggregate of tents) over 400 a.g. ft. EXCEPTION: Tent (arggregate of tents) over 700 sq. ft.  which are open on all sides and maintain a clearance of 12 feet to all structures or tents]  10 TENT Specs: Tent complies with NYS Uniform Fire Prevention and Fire Code (e.g. flameretardant, properly secured, etc.)  **CORRECTIVE ACTION TO BE TAKEN:**  **ELECTRICAL & LIGHTING**  11 Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  12 Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  13 Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  14 Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  15 Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the About not cause a fire, etc.)  16 Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  17 Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks  Department; Hookup must be limited to over-current protection device  28 Water/Damp Areas: Ground Eault Circuit Interrupters (GFCI) in use when cables, cord	4	Extinguishers: Extinguishers present (2A-10BC min. rating), service	ced, ready for use and within 75 ft. of travel		***************************************	
Section   Sect	5	Fire Equipment(e.g. alarm/sprinklers): Fire alarm equipment sha	all not be disconnected without Fire Dept. approval			
ELECTRICAL & LIGHTING  Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  Calese, Conds & Connectors: Cables properly protected, dressed and kept clear of panel protected, are grounded or insulated, and have been placed in approved locations; (e.g., so that the exhaust will not enter buildings and/or heat from the exhaust will not enter lequipment, lighting, portable A/C, etc., shall be properly grounded  CORRECTIVE ACTION TO BE TAKEN:  ELECTRICAL & LIGHTING  Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  Generators (inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g., so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  CORRECTIVE ACTION TO BE TAKEN:  EXTING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aidses, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  Fire Seapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes		CORRECTIVE ACTION TO BE TAKEN:				
ELECTRICAL & LIGHTING  Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  Calese, Conds & Connectors: Cables properly protected, dressed and kept clear of panel protected, are grounded or insulated, and have been placed in approved locations; (e.g., so that the exhaust will not enter buildings and/or heat from the exhaust will not enter lequipment, lighting, portable A/C, etc., shall be properly grounded  CORRECTIVE ACTION TO BE TAKEN:  ELECTRICAL & LIGHTING  Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  Generators (inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g., so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  CORRECTIVE ACTION TO BE TAKEN:  EXTING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aidses, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  Fire Seapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes	CAT	ERING / TENTS		VEC	NO	NIZA
Coaction (Cooking/Vehicles): Catering located in safe area to operate; Catering vehicles prohibited from cooking inside buildings, tents or other enclosures   Portable (Cooking/Location)/Protection): LPG cooking prohibited inside buildings; LPG tanks shall be stored outside; Portable LPG containers shall be stored within a suitable enclosure or otherwise protected against tampering/tipping   TENT Permit: Permit Permi		A DALLA SA PARAMERIA DE SELECTA ARTE DA CALLA MARTINA DE SA PARAMENTA DE LA CALLA DE LA CALLA DE SA PARAMENTA.	the fire outing risk are / 24 1000 minimum anti	TES	NO	N/A
buildings, tents or other enclosures    Portanks (Cooking/Location/Protection): LPG cooking prohibited inside buildings; LPG tanks shall be stored outside; Portable LPG containers shall be stored within a suitable enclosure or otherwise protected against tampering/tipping   TENT Permit: Permit for tent (or aggregate of tents) over 400 sq. ft. (EXCEPTION: Tent (aggregate of tents) over 700 sq. ft. which are open on all sides and maintain a clearance of 12 feet to all structures or tents;   Portable LPG containers shall be stored within a clearance of 12 feet to all structures or tents;   Portable LPG containers shall be stored within a clearance of 12 feet to all structures or tents;   Portable LPG containers or tents;   Portable LPG contain				-		
Portable LPG containers shall be stored within a suitable enclosure or otherwise protected against tampering/tipping  IENT Permit: Permit for tent (or aggregate of tents) over 400 sq. ft. [EXCEPTION: Tent (aggregate of tents) over 700 sq. ft. which are open on all sides and maintain a clearance of 12 feet to all structures or tents]  ID TENT Specs: Tent complies with NYS Uniform Fire Prevention and Fire Code (e.g. flameretardant, properly secured, etc.)  **CORRECTIVE ACTION TO BE TAKEN:**  **ELECTRICAL & LIGHTING**  11 Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  12 Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  13 Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  14 Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  15 Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  16 Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  17 Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  ***  **EXITIVE**  **EXITIVE**  **CORRECTIVE ACTION TO BE TAKEN:*  **EXITIVE ACTION TO BE TAKEN:*  **EXITI	7		rate, Catering venicles prombited from cooking inside			
Which are open on all sides and maintain a clearance of 12 feet to all structures or tents]   TENT Specs: Tent complies with NYS Uniform Fire Prevention and Fire Code (e.g. flameretardant, properly secured, etc.)	8	<b>LPG Tanks (Cooking/Location/Protection)</b> : <i>LPG cooking prohibite</i> Portable LPG containers shall be stored within a suitable enclosure.	ed inside buildings; LPG tanks shall be stored outside; e or otherwise protected against tampering/tipping			
ELECTRICAL & LIGHTING    Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings   Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (5 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (6 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (6 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.   Clearance (6 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter around applicable sets.   Clearance (6 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter around applicable sets.   Clearance (6 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter around applicable sets.   Clearance (6 ft. Perimeter): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.   Perimeter around applicable se	9	<b>TENT Permit:</b> Permit for tent (or aggregate of tents) over <b>400 sq. j</b> which are open on all sides and maintain a clearance of 12 feet to all struc	<b>ft.</b> [ <b>EXCEPTION</b> : Tent (aggregate of tents) over 700 sq. ft. tures or tents]			
Second Comment   Part	10	TENT Specs: Tent complies with NYS Uniform Fire Prevention and	Fire Code (e.g. flameretardant, properly secured, etc.)			
Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance around electrical panels in buildings  Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  CORRECTIVE ACTION TO BE TAKEN:  EXITING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  Pire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval		CORRECTIVE ACTION TO BE TAKEN:				
Clearance (4 ft. Perimeter): No distribution boxes or spiders within 4 ft. perimeter unless approved by Fire Dept.  Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  EXTING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  The Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	ELE	OTRICAL & LIGHTING		YES	NO	N/A
Cables, Cords & Connectors: Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type  Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  CORRECTIVE ACTION TO BE TAKEN:  EXITING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  Tire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	11	Clearance (3 ft. around Electrical Panels): Maintain 3 ft. clearance	e around electrical panels in buildings			
14 Distance from Heat Sources: Lighting adequately separated from flammable/combustible materials and surfaces  Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  CORRECTIVE ACTION TO BE TAKEN:  EXITING  YES NO N/A  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  Tire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	12	Clearance (4 ft. Perimeter): No distribution boxes or spiders withi	in <b>4 ft. perimeter</b> unless approved by Fire Dept.			
Generators (Inspected, Grounded/Insulated & Location): Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)    Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded	13		and kept clear of possible of exits; cords and connectors			
and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)  Grounded: All electrical equipment, lighting, portable A/C, etc. shall be properly grounded  Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  CORRECTIVE ACTION TO BE TAKEN:  EXITING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc, and the 4ft. perimeter around applicable sets.  Pire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	14					
Hookup to Panel (Permit & Over-Current Hookup): Electrical panel hookup must be done with a permit from Parks Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  CORRECTIVE ACTION TO BE TAKEN:  EXITING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4ft. perimeter around applicable sets.  Fire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	15	and have been placed in approved locations (e.g. so that t				
Department; Hookup must be linked to over-current protection device  Water/Damp Areas: Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.  **CORRECTIVE ACTION TO BE TAKEN:**  EXITING  Clearance (Exiting): **Production equipment may not obstruct any part of the exiting system.** All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the *4 ft. perimeter* around applicable sets.  20 Fire Escapes: **Fire escapes cannot be used for storage or operational activity,** and must be kept clear as escape routes  21 Roof/Basement/Mezzanine: Roof, basement, mezzanine areas **limited to 10 persons* without Fire Dept. approval	16	Grounded: All electrical equipment, lighting, portable A/C, etc. sha	all be properly grounded			
of a water hazard.  **CORRECTIVE ACTION TO BE TAKEN:**  **EXITING**  **Clearance (Exiting): **Production equipment may not obstruct any part of the exiting system.** All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the *4 ft. perimeter* around applicable sets.  20 Fire Escapes: **Fire escapes cannot be used for storage or operational activity*, and must be kept clear as escape routes  21 Roof/Basement/Mezzanine: Roof, basement, mezzanine areas **limited to 10 persons* without Fire Dept. approval**	17					
EXITING  Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  20 Fire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  21 Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	18		se when cables, cords and connectors are within 10 feet			
Clearance (Exiting): Production equipment may not obstruct any part of the exiting system. All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  20 Fire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes 21 Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval		CORRECTIVE ACTION TO BE TAKEN:				
emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the 4 ft. perimeter around applicable sets.  20 Fire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  21 Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	EXIT	ING		YES	NO	N/A
Fire Escapes: Fire escapes cannot be used for storage or operational activity, and must be kept clear as escape routes  Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	19	emergency and regular exits shall be kept clear & unobstr	ructed, including aisles, corridors, doors (i.e. regular exit			
21 Roof/Basement/Mezzanine: Roof, basement, mezzanine areas limited to 10 persons without Fire Dept. approval	20					
22 Visible: All exits must be adequate, visible, lit and well-marked	21					
	22	Visible: All exits must be adequate, visible, lit and well-marked				

FLAMI	MABLE/COMBUSTIBLE LIQUIDS & GASES	YES	NO	N/A
23 I	Distance from Heat Sources: Flammable/combustible liquids and gases kept 25 feet away from heat sources			
24 <b>I</b>	Pressurized Gas (Hoses/Valves): Approved hoses and valves used for pressurized gases (e.g. propane)			
25				
	NO refueling while equipment is in operation. <b>No smoking within 25 feet of vehicle.</b>			
26	Spray Painting/Lacquer Application & Cleanup: Spray painting and lacquer application approved and performed safely in a properly ventilated area to prevent flammable vapors from accumulating. Rags used with paints solvents and other flammables shall be safely disposed of in containers with a tight-fitting lid.			
27	Storage (Approved Containers, Secured, "NO SMOKING" Signage): Proper storage of flammable liquids in approved containers ( <i>Max. 5-gallon containers</i> ); pressure vessels secured and stored with "No Smoking" signs, and protected from vehicle traffic			
(	CORRECTIVE ACTION TO BE TAKEN:			
/RO	FECHNIC SPECIAL EFFECTS (SPFX) & SPECIAL PERMITS	YES	NO	N/A
8 <b>E</b>	Extinguishers: Fire extinguishers provided by pyrotechnic operator onsite, charged and in good working order			
9 [	icense: Proper license in possession of pyrotechnic operator			
) <b>F</b>	Permit: required for open flame (e.g. candles), hot work, pyrotechnics, etc.			
1 5	Safety Meeting: A safety meeting shall be conducted prior to pyrotechnic activity			
2 5	SPFX Used as Per Permit: Special effects used as per SFD Pyrotechnic Permit			
(	CORRECTIVE ACTION TO BE TAKEN:			
ETS/	CONSTRUCTION	YES	NO	N/A
33	Auto/Motor Craft on Stage: Fuel in tank not to exceed 1/4 tank or 5 gallons (whichever is less); fuel tanks and fill openings closed & sealed to prevent tampering; no fueling/de-fueling within building; batteries disconnected on applicable auto/motor craft	8 8 9 9 9 9 9 9 9 9 9		
34 (	Clean Work Area (Saw Dust & Scraps): Light combustibles in carpenter shop and other work areas removed frequently			
_	Distance from Brush: Sets must be at least 20 feet from brush			
	Flame Retardant: Curtains, backdrops, window covering, trees, bushes, hay, etc., if not fresh must be flame retardant	1		
NO SMOKING: Set construction areas kept clean with "NO SMOKING" signs		-		
	iets Requiring SFD approval : Sets requiring Fire Dept. approval are (1) Interior Raised Floor > 600 sq. ft.  (2) Hard Ceiling > 600 sq. ft. (3) Foam sets (4) Sets impacted by SPFX			
	CORRECTIVE ACTION TO BE TAKEN:			
MOKI	NG (DESIGNATED & NO SMOKING AREAS)	YES	NO	N/A
39 [	DESIGNATED SMOKING (Location): Where smoking areas are allowed, those areas are clearly marked and supplied with butt cans			
40 N	NO SMOKING (Signage): "NO SMOKING" signs prominently visible where smoking is prohibited			
	NO SMOKING (Prohibited Areas = Near Brush, SPFX & Flammables/Combustibles): Smoking <u>prohibited</u> near brush, pyrotechnics/special effects, flammable liquid storage and dispensing areas			
	CORRECTIVE ACTION TO BE TAKEN:			
	re to comply with the requirements identified within this document may result in ermit and/or cancellation of film production.	the re	vocat	ion
Respo	nsible Party:			
ignatu	re Phone Number	-		
rint N	ame Title			
yracus	se Fire Department Inspector Signature			